



***CONQUER
EVERY STORM.***

EDITION 8



CONQUER EVERY STORM.

CONTENTS


- 6. ICE MASTER® H-SERIES
- 8. ICE MASTER® U-SERIES
- 12. ICE MASTER® E-SERIES
- 18. ICE MASTER® T-SERIES
- 24. STORM FIGHTR™
- 26. STORM COMMANDER™
- 28. BRINE TRANSPORT TANKS
- 30. BRINE STORAGE TANKS
- 32. RELOCATABLE STORAGE
- 36. BRINE MASTER®
- 38. DIESEL TRANSFER TANKS
- 43. WARRANTY

“I GUARANTEE YOU’LL NEVER TURN BACK.”

Charles Glossop
CSP, Owner of Hantho Outdoor Services

“You need to make the decision to use liquids. If you make that decision, I guarantee you’ll never turn back,” said Charles Glossop, certified snow professional and owner of Hantho Outdoor Services. Hantho Outdoor Services, a \$10 million Minneapolis-based company with clients in 14 states, has been using liquid brine for over 35 years. Glossop is also enthusiastic about Camion Ice Master® T-Series truck sprayers. “What we like about the Camion [sprayer] is that it’s all-electric,” Glossop said. “There’s no gas engine; there’s no having to refuel in the middle of a run.” The silent electric motor also enables Hantho Outdoor Services to work in downtown areas without having to worry about violating noise restrictions.

See the whole video at www.camionsystems.com.



H-SERIES



HEAVY DUTY ENGINEERING DONE SAFE

The Ice Master® H-Series hitch-mounted sprayer is built with Safe-Balance™ technology, reducing sloshing and stabilizing weight for your compact tractor.

DOUBLE SPRAY BAR SYSTEM

High volume pre- and post- treatment spray bars.

EASY-ACCESS™ LID

The easy-to-reach lid located at the side of the tank makes filling quick and simple.

SAFE-BALANCE™ DESIGN

The tank shape shifts weight closer to the rear wheels, making spraying on sloped terrain safer.

SOLID-WALL™ TANK CONSTRUCTION

With thick side walls, this workhorse is impact resistant and virtually indestructible.

Optional POLY-FLEX™ HOSE REEL

Unlike steel, this rust-free, crack-proof poly hose reel will flex.

TIME-SAVER™ FORK POINTS

The built-in fork slots make the entire unit a breeze to lift and load.

U-SERIES



TURN YOUR UTV INTO A SNOWFIGHTING MACHINE

Arm your side-by-side with a 100-gallon full-drain tank and a reliable two-bar boom sprayer with our Ice Master® U-Series sprayer. Jam-packed with top-of-the-line features, the U-Series turns your UTV into a snowfighting beast.

DOUBLE SPRAY BAR SYSTEM

High volume pre- and post- treatment spray bars.

RUST-ARMOUR™ STAINLESS FRAME

No rust. No corrosion. Years of unmatched service.

AUTO-DRAIN™ SUMP BASE

The sloped tank base channels every ounce of brine to the drain.

POLY-FLEX™ HOSE REEL

Unlike steel, this rust-free, crack-proof poly hose reel will flex.

EASY-ADJUST™ BOOM MOUNTS

Quickly set the boom height to match the spray nozzles' recommended height.

TIME-SAVER™ FORK POINTS

The built-in fork slots make the entire unit a breeze to lift and load.



H-SERIES

SPECIFICATIONS

PRODUCT CODE	CAPACITY (GAL)	SPRAY WIDTH	FRAME TYPE	COLOR	HOSE LENGTH	MOUNTING	DIMENSIONS	SPRAY GUN TYPE
IMH050	50	(Up to 6') Boom: IMB7	Powder Coated	Safety Orange	15'	3-Point Linkage Hitch	50 Gallons LxWxH 32' x 55' x 43'	Adjustable Jet/ Fan

H-SERIES OPTIONS



RECEIVER HITCH



100' HOSE REEL

U-SERIES

SPECIFICATIONS

PRODUCT CODE	CAPACITY (GAL)	SPRAY WIDTH	FRAME TYPE	COLOR	HOSE LENGTH	MOUNTING	DIMENSIONS	SPRAY GUN TYPE	FLOW METER
IMU100	100	(Up to 6') Boom: IMB7	Stainless Steel	Safety Orange	100'	4 Tie-Down Slots	100 Gallons LxWxH 49" x 45" x 27"	Adjustable Jet/Fan	Optional

U-SERIES OPTIONS



7.5" BAFFLE BALLS
AVB195



FLOW METER

E-SERIES



DOMINATE THE PRETREATING GAME

Leave the high-price pretreating sprayers for the other guys. The all-electric Ice Master® E-Series is the most straightforward and durable truck spraying rig on the market. Get everything you need to pretreat like a pro without busting the bank.



TIME-SAVER™ FORK POINTS

The built-in fork slots make the entire unit a breeze to lift and load.

RUST-ARMOUR™ STAINLESS FRAME

No rust. No corrosion. Years of unmatched service.

AUTO-DRAIN™ SUMP BASE

The sloped tank base channels every ounce of brine to the drain.

DOUBLE SPRAY BAR SYSTEM

High volume pre- and post- treatment spray bars.

FAST-FILL™ SYSTEM

Quickly attach and fill, so more time can be spent on the job.

TRI-ZONE™ SPRAY SELECTION

Choose where you want to spray. No more expensive salt damage. No more liquid wasted.



SPECIFICATIONS

SPRAY WIDTH	FRAME TYPE	COLOR	HOSE LENGTH	MOUNTING	TANK TYPE	SPRAY GUN TYPE
(UP TO 30') Boom: IMB9	Stainless Steel	Safety Orange	100'	4 Tie-Down Slots	Single-Piece, Roto Mold HDPE	Adjustable Jet/Fan

MODELS

PRODUCT CODE	LENGTH	WIDTH	HEIGHT	DRY WEIGHT (LBS)	CAPACITY (GAL)	PUMP ON/OFF CONTROL	PUMP TYPE	MAX PUMP (PSI)	MAX PUMP (GPM)	WIRING HARNESS (IN-CAB CONTROLS)
IME250	81"	48"	39"	445	250	Yes	3 x Electric Diaphragm	60	1 x 7 2 x 5	12 Ga w/ pump switch in box & battery clips. 3 Zones.
IME300	102"	48"	40"	530	300	Yes	3 x Electric Diaphragm	60	1 x 7 2 x 5	12 Ga w/ pump switch in box & battery clips. 3 Zones
IME500	104"	57"	50"	670	500	Yes	3 x Electric Diaphragm	60	1 x 7 2 x 5	12 Ga w/ pump switch in box & battery clips. 3 Zones

FEATURES



PRESSURE CONTROLLER



LIQUID LEVEL SIGHT TUBE & FULL DRAIN SUMP



30 YEAR PROVEN PIN-MOUNT SYSTEM



2" FILL PORT


OPTIONS



16" BAFFLE BALLS
AVB335



HOSE REEL



STORAGE STAND
IMTLS01



HOSE REEL RISER
BRACKET
(IMTHRS01)

PRETREAT LIKE A PRO

Snowfighting is a proactive game, not reactive. To provide the level of service people expect from you, you need a powerful pretreating tool for your snowfighting arsenal. The Ice Master® E-Series is your secret weapon for professional pretreating power at an affordable price. Our sprayers are all-electric, meaning there's no refueling and no noise. The E-Series sprayer allows you to pre-treat quietly in city areas while the people who depend on you rest easy.



T-SERIES



OWN THE STREETS

Engineered, tested, and sold in the nation's coldest temperatures, the Ice Master® T-Series is the ultimate snowfighting tool. Now armed with the Storm Fightr™ stainless boom, the durable T-Series truck obliterates snow and ice season after season.

BAFFLE-BALL™ SURGE CONTROL

The slosh is eliminated. It feels like a solid load.

RUST-ARMOUR™ STAINLESS FRAME

No rust. No corrosion. Years of unmatched service.

AUTO-DRAIN™ SUMP BASE

The sloped tank base channels every ounce of brine to the drain.

DOUBLE SPRAY BAR SYSTEM

High volume pre- and post- treatment spray bars.

FAST-FILL™ SYSTEM

Quickly attach and fill, so more time can be spent on the job.

TRI-ZONE™ SPRAY SELECTION

Choose where you want to spray. No more expensive salt damage. No more liquid wasted.



SPECIFICATIONS

SPRAY WIDTH	FRAME TYPE	COLOR	HOSE LENGTH	MOUNTING	TANK TYPE	SPRAY GUN TYPE
(UP TO 30') Boom: IMB12	Stainless Steel	Safety Orange	100'	4 Tie-Down Slots	Single-Piece, Roto Mold HDPE	Adjustable Jet/Fan

PUMPS

PRODUCT CODE	DESCRIPTION	MAX FLOW (GPM)	PRESSURE (PSI)	MOTOR
IMTPE	High Flow 12 Volt Electric Pump	52	35	12 Volt DC
IMTPG	160 Electric Start Gas Pump	160	60	Gas
IMTPH	245 Stainless Steel Hydraulic Pump	245	150	Hydraulic

CONTROLS

PRODUCT CODE	DESCRIPTION	SPRAY ZONES	POWER
IMTC	In Cab Standard Controller	3	12 Volt
IMTCSC	In Cab GPS Flow Controller	3	12 Volt

MODELS

PRODUCT CODE	PUMP TYPE	GPS INCLUDED	LENGTH	WIDTH	HEIGHT	DRY WEIGHT (LBS)	CAPACITY (GAL)
IMT250G	Gas	No	81"	48"	39"	475	250
IMT250E	Electric	No	81"	48"	39"	475	250
IMT250GSC	Gas	Yes	81"	48"	39"	475	250
IMT250ESC	Electric	Yes	81"	48"	39"	475	250
IMT300G	Gas	No	102"	48"	40"	560	300
IMT300E	Electric	No	102"	48"	40"	560	300
IMT300GSC	Gas	Yes	102"	48"	40"	560	300
IMT300ESC	Electric	Yes	102"	48"	40"	560	300
IMT500G	Gas	No	104"	57"	50"	700	500
IMT500E	Electric	No	104"	57"	50"	700	500
IMT500GSC	Gas	Yes	104"	57"	50"	700	500
IMT500ESC	Electric	Yes	104"	57"	50"	700	500
IMT800G	Gas	No	120"	61"	59"	935	800
IMT800E	Electric	No	120"	61"	59"	935	800
IMT800GSC	Gas	Yes	120"	61"	59"	935	800
IMT800ESC	Electric	Yes	120"	61"	59"	935	800
IMT995G	Gas	No	120"	61"	75"	1035	995
IMT995E	Electric	No	120"	61"	75"	1035	995
IMT995GSC	Gas	Yes	120"	61"	75"	1035	995
IMT995ESC	Electric	Yes	120"	61"	75"	1035	995

*STANDARD CODES INCLUDE HOSE REEL, TRUCK MOUNTING BRACKETS, RECEIVER HITCH BOOM MOUNT, IMB12 BOOM, AND BAFFLE BALLS.

**ADDITIONAL SIZES UP TO 3,000 GALLONS AVAILABLE, SEE WWW.CAMIONSYSTEMS.COM.

SPRAY BOOMS

PRODUCT CODE	SPRAY WIDTH	DRY WEIGHT (LBS)	MAX SPRAY VOLUME (GPM)
IMB12	Up to 30'	95	41
IMB22	Up to 30'	95	132

T-SERIES OPTIONS



HOSE REEL WITH 100' HOSE
& SPRAY GUN (IMTHR01)



TAILGATE LOCK BARS
(IMTMT02)

SELF-LOADING LEGS




PRODUCT CODE	COMPATIBLE SIZES
IMTLS02	500 - 3,000

ECOMAX

This high-flow 12-volt stainless steel pump sprays up to 80 gallons per acre at approximately 8 mph.

- Quiet
- Efficient
- Safe
- Eco-friendly



HIGH FLOW 12 VOLT
(IMTPE)

*Comes with cables, fuse, and switches.



ELECTRIC START GAS / 2" POLY PUMP
(IMTPG)



STAINLESS STEEL HYDRAULIC
(IMTPH)



ADJUSTABLE RECEIVER HITCH
(IMMBR01)

**NEW
2023**



HOSE REEL RISER BRACKET
(IMTHRS01)

STORM FIGHTR™



THIS BOOM DOESN'T BACK DOWN

Forged from stainless steel, the all-new Storm Fightr® Armored Boom was built from the ground up to defeat anything you can throw at it, from corrosion to getting backed into the toughest snow pile. Your spray nozzles have never been as secure.



STORM COMMANDER™

WIRELESS CONTROL STATION

YOUR IN-CAB COMMAND CENTER

The Storm Commander™ gives you the real-time data you need to beat billing disputes, frivolous litigation, and logistics breakdowns. It tracks application rates, GPS tracks, and much more, and backs it all up to an easy-to-use web portal. And it all comes in a rugged wireless package, complete with physical buttons and steel switches.



**NEW
2023**

Control your electric
EcoMax motor and your
work light from your
storm commander.



WEB DASHBOARD

Get access to real-time datapoints, GPS tracks, dash cam feeds, on-site Mini RWIS cameras, and diagnostics, all in one web dashboard.



BUILT FOR SNOWFIGHTING™

This unit was built from the ground up for winter and displays the data you need for efficient operations, as well as billing and liability protection.



AIR-TETHER™ WIRELESS CONTROL

A fully wireless in-cab connection makes this unit easy to install before an event and more rugged than wired units.



INSTANT-SYNC™ WEB CONNECTION

Operational data gets uploaded to the cloud in real time.



POINT-LOCK™ GPS TRACKING

See where your trucks go in real time and save routes for billing and litigation protection.



SWIFT-ASSIST™ DIAGNOSTICS

Access on-demand help and speed up field repairs with real-time controller diagnostics.



RUGGED-SWITCH™ INTERFACE

Built around tough buttons and toggle switches that respond to every command, gloved or not, even on the coldest nights.



Optional CLOUD-INTEGRATED HD DASH CAM

Integrated dashcams give you live feeds of roads, properties, spray patterns, and drivers. Instant cloud backups archive your footage for later use in billing disputes and litigation defense.

LEARN MORE AT: www.camionsystems.com/storm-commander/

BRINE TRANSPORT TANK



THE MOST SECURE TANK ON THE ROAD

Other drivers can't miss our high-vis orange tanks. Baffle balls keep unpredictable sloshing to a minimum, and our patented pin-mount system is a safer, maintenance-free alternative to finicky mounting hoops and bands.

**Baffle balls are optional.*

LIFTING-LUGS™

Built-in and engineered to take the dry weight of the tank, these make lifting the tank on and off the trailer a breeze.

ANTI-SPLASH™ STAINLESS LID

Lockable and spill-proof, this lid keeps liquid in while traveling on rough terrain.

(Only on tank 1,600 gallons or larger.)

ROTO-MOLD™ CONSTRUCTION

When cooked and cooled at an even rate, the raw material is bonded together to make this tank virtually indestructible.

PIN-MOUNT™ SYSTEM

The molded-in mounting lugs combined with heavy-duty steel pins will keep this tank fixed without movement.

THICK-WALL™ DESIGN

Extra-thick walls provide unmatched strength and durability.

SINGLE-PIECE™ CONSTRUCTION

Rotationally-molded in a single mold means that the tank is seamless, water-tight, and leak-proof.

BRINE STORAGE TANK



THE SNOWFIGHTER'S STORAGE TANK

These tanks keep your brine ready for the call. That's why we beefed up our Brine Storage Tanks with tough premium features. Built by snowfighters, for snowfighters, the Camion® Brine Storage Tank is built to withstand the harshest conditions.

ANCHOR-POINT™ LUGS

Four hefty built-in lifting and tie-down points at each corner make it easy to handle.

CORRODE-PROOF™ MATERIAL

Built with salt brine compliant material, the tank will keep the brine pure.

STRONG-X™ ROOF DESIGN

The beefed-up roof structure with molded-in truss-like supports eliminate collapsing.

RIBBED-WALL™ STRUCTURE

The ribs act like belts around the tank, keeping it in shape. This reduces bulging.

RUST-ARMOUR™ FITTINGS

No rust. No corrosion. Years of unmatched service.

RECIRCULATION FITTING

Keep the liquid circulating.

RELOCATABLE BRINE STORAGE



YOUR ON-SITE BRINE DEPOT

Staging your brine on site can save your trucks valuable refilling time when moments matter. Our relocatable storage trailer makes it easy to safely store brine when and where you need it, without the setup of more permanent tanks.

CORRODE-PROOF™ MATERIAL

Built with salt brine compliant material, this tank will keep the brine pure.

DROP & RAISE TECHNOLOGY™

The unique jacking system is simple to pump and is placed at the perfect height. Raise the tanks without busting your back.

STRONG-X™ ROOF DESIGN

The beefed-up roof structure with molded-in truss-like supports eliminate collapsing.

HEAVY-DUTY TUBE FRAME

This unit is powder coated and ready for abuse. All wires are protected inside the tube and built-in house holders are included.

RIBBED-WALL™ STRUCTURE

The ribs act like belts around the tank, keeping it in shape. This reduces bulging.

AUTO-DRAIN™ CONE BASE

The 15" cone base channels every ounce of liquid to the drain. No more cleaning.



BRINE TRANSPORT TANK

SPECIFICATIONS

PRODUCT CODE	SIZE	DIMENSIONS (L x W x H)	DRY WEIGHT (LBS)	TANK WARRANTY
THF00995ORC	995 Gal	94" x 60" x 63"	435	10 Years
THF01600ORC	1,600 Gal	130" x 71" x 59"	590	10 Years
THF02200ORC	2,200 Gal	130" x 71" x 72"	770	10 Years
THF03000ORC	3,000 Gal	130" x 86" x 91"	1,200	10 Years
THF04500ORC	4,500 Gal	179" x 95" x 84"	1,870	10 Years

*BAFFLE BALLS NOT INCLUDED.

BRINE STORAGE TANK

SPECIFICATIONS

PRODUCT CODE	SIZE	DIMENSIONS (DIA. x HEIGHT)	DRY WEIGHT (LBS)	TANK WARRANTY
THV01100GYC	1,100 Gal	60" x 97"	210	10 Years
THV03000GYC	3,000 Gal	90" x 125"	550	10 Years
THV05000GYC	5,000 Gal	110" x 150"	1,210	10 Years
THV10000GYC	10,000 Gal	144" x 178"	2,800	10 Years

RELOCATABLE BRINE STORAGE

SPECIFICATIONS

SIZE	PRODUCT CODE	# OF TANKS	DIMENSIONS	TANK WARRANTY
6,000 Gal	IMWC6000	2 Tanks	21' x 100" x 146" - 158"	10 Years
9,000 Gal	IMWC9000	3 Tanks	29' x 100" x 146" - 158"	10 Years

BRINE MASTER®



THE ULTIMATE ALL-IN-ONE BRINE MAKER

The Brine Master® includes an integrated mixing tank and plug-and-play electronics to jump-start your in-house brine production with no additional parts. And it's built tough, with a stainless frame and no finicky automated sensors to go down when you need it most.

**SALT-EXACT SALINITY READER*

Our upgraded refractometer salinity reader gives you hyper-accurate brine salinity readings.

**FLOW METER*

A flow meter comes standard so you can easily monitor your flow rate.

CENTRAL CONTROL STATION

All your valves are in one place to make operating the Brine Master® a breeze.

**FULLY DRAINABLE HOPPER*

Built for easy maintenance, with a fully-drainable hopper for hassle-free cleaning.

PLUG-N-PLAY ELECTRONICS

Pre-wired to approved standards. Easy to hook up and make brine.

ALL-IN-ONE COMPLETE UNIT

A complete unit with all the components. No shopping for further items.

*Starred features are only applicable to the Brine Master® 3000

See page 41 for specifications.

WWW.CAMIONSYSTEMS.COM

DIESEL FUEL BOSS®



OUTLAST THE STORM

When you're in the elements, you stop for no one. The all-in-one Diesel Fuel Boss® refueling unit keeps you on scene long after everyone else has gone home. Equipped with a pump, hose, and gun, our pre-built design is ready to work right out of the box.

SELF-ACTIVATE™ SHUT-OFF NOZZLE

This well-built diesel fuel nozzle is engineered to shut-off automatically when the machine is completely full.

PUMP-SHIELD™ COVER

The pump and gun are protected under a weather-safe cover.

CONDENSATE-ARMOUR™ MATERIAL

Unlike steel and aluminum, this polyethylene material reduces condensation build-up to minimize machinery filter damage.

EASY-LIFT™ HANDLES

Molded-in, solid handles make loading and unloading this unit effortless.

ANTI-SPILL™ BREATHER

The leak-proof poly breather keeps diesel in and dust out.

ANCHOR-POINT™ STRAP GROOVES

Heavy-duty, never-fail strap grooves are built-in on both sides. This makes tying down this unit quick and hassle-free.



BRINE MASTER®

SPECIFICATIONS

MODEL	PRODUCT CODE	FRAME TYPE	BRINE PRODUCTION	DIMENSIONS	TANK TYPE	HOPPER VOLUME	MIXING TANK CAPACITY
BRINE MASTER® 3,000	BM3000	Stainless Steel	Up to 3,000 gal/ hour	181" L x 65" W x 82" H	Single-Piece, roto Mold HDPE	2 Cu Yards	600 Gal
BRINE MASTER® 1,600	BM1600	Stainless Steel	Up to 1,600 gal/ hour	90" L x 68" W x 72" H	Single-Piece, roto Mold HDPE	0.5 Cu Yards	400 Gal

POLY & STAINLESS CONSTRUCTION
Made solely from poly and stainless-steel components to cut out unnecessary corrosion.



TIME-SAVER™ FORK POINTS
Built-in fork points make your unit easy to move in and out of storage.



1,600 GAL BRINE MASTER



3,000 GAL BRINE MASTER

DIESEL FUEL BOSS®

SPECIFICATIONS

PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (L X W X H)	FILL POINT	PUMP	GUN	FLOW RATE (GPM)	ELECTRIC CABLE LENGTH	HOSE LENGTH	DRY WEIGHT (LBS)
RDU025C10DC	25	32" x 27" x 20"	3"	Vane	Auto shut-off	10	16'	16'	69
RDU055C10DC	55	32" x 27" x 30"	3"	Vane	Auto shut-off	10	16'	16'	80
RDU075N10DC	75	51" x 21" x 31"	3"	Vane	Auto shut-off	10	16'	16'	90
RDU100S10DC	100	47" x 34" x 34"	3"	Vane	Auto shut-off	10	16'	16'	100

THE CAMION DEALER NETWORK


MEGASTORES

Whether you need in-person equipment consultations or on-the-ground support for existing equipment, your local Camion® dealer is your go-to resource.

For the largest selection of parts and equipment, visit one of our MEGASTORES.



Visit: www.camionsystems.com/buying-options to get started.



INFORMATION

FREIGHT

Contact us to learn the exact freight charges in your area.


WARRANTY


When a storm hits, lives depend on the equipment you choose. We engineered our rugged line of brine makers, storage solutions, and sprayers to give you the edge you need when the city is counting on you to keep roads open, and we back what we build.

Camion® equipment is backed by a Two-Winter Warranty and all poly storage and sprayer tanks are covered by a 10-year warranty when you register your product.

Visit www.camionsystems.com/policies to read our entire policy and register your products.



 FIND US ON FACEBOOK
[@camionsystems](https://www.facebook.com/camionsystems)

 FIND US ON INSTAGRAM
[@camionsystems](https://www.instagram.com/camionsystems)

 FIND US ON YOUTUBE
[@camionsystems](https://www.youtube.com/camionsystems)

The following are registered (®) or unregistered (™) trademarks of Enduraplas LLC: CAMION®, ICE MASTER SYSTEMS®, ENDURAPLAS®, BE A MASTER™, BRINE MASTER®, FUEL BOSS®, LIQUID MASTER®, BAFFLE-BALL™, AUTO-DRAIN™, SOLID-WALL™, POLY-FLEX™, RUST-ARMOUR™, TIME-SAVER™, EASY-ADJUST™, FAST-FILL™, TRI-ZONE™, RAPID-EMPTY™, HANDY-TAP™, ANCHOR-POINT™, STRONG-X™, CORODE-PROOF™, RIBBED-WALL™, ANTI-SPILL™, PUMP-SHIELD™, IMPACT-FLEX™, EASY-LIFT™, SELF-ACTIVATE™, CONDENSATE-ARMOR™, STORM COMMANDER™, POINT-LOCK™, INSTANT-SYNC™, SWIFT-ASSIST™, RUGGED-SWITCH™, BUILT FOR SNOWFIGHTING™, AIR-TETHER™, STORM FIGHTR™.

Camion® reserves the right to change specifications, design and price of the products described in this literature without notice. Images used in this literature are pictured for display purposes only. Warranty of all products is only applicable when the product is used in accord with the operator's manual. Improper use of any equipment or accessory may cause serious or fatal injury. Read, understand and follow carefully the operator's manual before using these products.



CAMION

113 1st Street
Neché, ND 58265
USA

CONTACT US:

cs@camionsystems.com
1 (877) 265-9929

